

CLAIMS

We claim:

1. A peelable foam coating composition, comprising an effective amount of an aqueous film forming polymeric resin,
a release agent,
a propellant,
a thickening agent,
a surfactant; and
a profoamer
2. The peelable coating of Claim 1 including a dye or pigment in an effective amount of from 01 to 10.0 percent by weight
3. The peelable coating of Claim 1 including a thickening agent in an effective amount of from 0.01 to 5.0 percent by weight
4. The peelable coating of Claim 1 including an antifoam in an effective amount of from 0.01 to 1.0 percent by weight
5. The peelable coating of claim 1, including an effective amount of a plasticizer.
6. The peelable coating of claim 1 including an effective amount of an antiskinning agent.
7. The peelable coating of claim 1 including an effective amount of an antioxidant
8. The peelable coating of claim 1 including an effective amount of a carrier selected from the group consisting of an aqueous carrier, a solvent carrier, or combination thereof.

9 A foamy peelable coating composition, comprising an aqueous polyurethane dispersion resin in an effective amount ranging from about 75.0 percent to about 98.0 percent by weight of the total weight percent of the composition;

5 a release agent in an amount of from between 0.1 and 5.0 percent of the total weight percent of the composition,

and

10 a propellant in an amount of from 5.0 to 20.0 percent of the total weight percent of the composition.

11 The peelable coating of Claim 9 including a dye or pigment in an effective amount of from 0.01 to 10.0 percent by weight

12 The peelable coating of Claim 9 including a thickening agent in an effective amount of from 0.01 to 5.0 percent by weight

15 The peelable coating of Claim 9 including a surfactant in an effective amount of from 0.01 to 10.0 percent by weight

16 The peelable coating of Claim 9 including an anti-skinning agent in an effective amount of from 0.01 to 1.0 percent by weight

20 The peelable coating of Claim 9 including an effective amount of a carrier selected from the group consisting of an aqueous carrier, a solvent carrier, or combination thereof.

9 A peelable foam coating composition comprising a vinyl toluene acrylate copolymer resin in an amount of from between 27.0 to 30.0 weight percent; an aromatic solvent in an amount of from between 12.0 to 15.0;

an aliphatic solvent in an amount of from between 38.0 to 40.0 weight percent,
a pigment in an amount of from between 3.0 to 5.0 weight percent,
release agent in an amount of from between 5.0 to 7.0 weight percent,
5 a propellant in an effective amount selected from the group consisting of a
carbon dioxide and a hydrocarbon propellant,
a plasticizer in an amount of from 6.0 to 9.0 weight percent; and
a thickner in an amount of from 0.1 to 2.0 weight percent
